		Page 1 o		
INFORMATION	Atty. Docket No.: 00236.US1	Serial No.: 09/932,474		
DISCLOSURE	Applicant(s): Benson et al.	Confirmation No.: 662		
STATEMENT	Application Filing Date: August 17, 2001	Group: 1631/652		
OIPE O	Information Disclosure Statement mailed:	March <u>5</u> , 2003		
MAR 1 1 2003				
18 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	U.S. PATENT DOCUMENTS			

Initial	۲۰۰۰	Document Number	Date	Name	Class	Subclass	Filing Date If
		NONE					
		·					

## FOREIGN PATENT DOCUMENTS

Examiner	Document Number	Date	Country	Class	Subclass	Trans	lation
lnitia)						Yes	No
1215	EP 0625575 A2	11/23/94	ЕРО				
				-			

OTHER DOCUMENTS (Including Authors, Title, Date, Pertinent Papers, etc.)

Examiner Initial		Document Description
		Database Accession No. P14304 (XP002228801) Abstract.
		Database Accession No. Q9X6S9 (XP002228804) Abstract.
		Database Accession No. Q9S685 (XP002228799) Abstract.
		Database Accession No. Q9ZNI0 (XP002228800) Abstract.
		Database Accession No. Q9S6V4 (XP002228802) Abstract.
DIS	,	Jancarik et al., "Sparse matrix sampling: a screening method for crystallization of proteins," J. Appln. Crsyt. 1991;24:409-411.
		Marti-Renom et al., "Comparative protein structure modeling of genes and genomes," Annu. Rev. Biophys. Biomol. Struct. 2000;29:291-325.
		Sugai et al., "Identification and molecular characterization of a gene homologous to epr (endopeptidase resistance gene) in Staphylococcus aureus," <i>Gene.</i> 1998 Dec 11;224(1-2):67-75.
DUS	•	Toledo-Sherman et al., "High-throughput virtual screening for drug discovery in parallel," Curr. Opin. Drug. Discov. Devel. 2002 May;5(3):414-421.

EXAMINER	Date Considered			
David J. Standerson	09-22-04			
*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in				

INFORMATION
DISCLOSURE
STATEMENT

Serial No.: 09/932,474

OMB No. 0651-0011

Page 1 of 8

Applicant(s): T. E. Benson et al.

**Confirmation No.: 6629** 

Filing Date:

August 17, 2001

Group: 1681 /652

U.S. PATENT DOCUMENTS

Examiner Document Number Date Name

none

ί.	S.S.TATEAU DOCUMENTS								
	Filing Date In	Subclass	Class	Name	Date				
,	4								

## FOREIGN PATENT DOCUMENTS

Examiner	Document Number	Date	Country	Class	Subclass	Trans	lation
Initial		<u> </u>			ر ا	Yes	No
DUS	EP 786 519 A2	07/30/97	Europe		1		
	WO 99/47639 A2	09/23/99	PCT			**	
-	WO 99/47639 A3	09/23/99	PCT		!/		
	WO 99/47662 A1	09/23/99	PCT	1/	1		
	WO 00/12678 A2	03/09/00	PCT			,	
V	WO 00/12678 A3	03/09/00	PCT	1//		,	
1)15	WO 01/16292 A2	03/08/01	PCT	17			

OTHER DOCUMENTS (Including Authors, Title, Date, Pertinent Papers, etc.)

Examiner Initial		Document Description
DJS	÷	Angus-Hill et al., "Crystal structure of the histone acetyltransferase Hpa2: A tetrameric member of the Gcn5-related <i>N</i> -acetyltransferase superfamily," <i>J Mol Biol.</i> 1999 Dec 17;294(5):1311-25.
		Bartlett et al., "CAVEAT: A program to facilitate the structure-derived design of biologically active molecules," <i>Molecular Recognition: Chemical and Biological Problems</i> , Royal Society of Chemistry, Special Pub No. 78:182-196 (1989).
		Belshaw et al., "Aminoacyl-CoAs as probes of condensation domain selectivity in nonribosomal peptide synthesis," <i>Science</i> . 1999 Apr 16;284(5413):486-9.
		Benson et al., "Overexpression, purification, and mechanistic study of UDP-N-acetylenolpyruvylglucosamine reductase," <i>Biochemistry</i> . 1993 Mar 2; 32(8):2024-30.
DIS		Berger-Bachi et al., "Mapping and characterization of multiple chromosomal factors involved in methicillin resistance in <i>Staphylococcus aureus</i> ," <i>Antimicrob Agents Chemother</i> . 1992 Jul;36(7):1367-73.

EXAMINER	Date Considered					
Dairy & Soudman	09-22-04					
*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.						

Atty. Docket No.: 00236.US1 Serial No.: 09/932,474

INFO	RMATION	Atty. Docket No.: 00236.US1	Serial No.: 09/932,474	=			
DIS	CLOSURE	Applicant(s): T. E. Benson et	al. Confirmation No.: 6629	오			
51A	TEMENTE	Filing Date: August 17, 200	Group: 1681 /652	JEN I			
				<b>.</b> E			
Examiner Initial	MAR 2 5 2002	Document Descrip	tion	CH CENTER 1600/2900			
5 7002 1)U.S.	resistance in a	et al., "FemA, a host-mediated for Staphylococcus aureus: molecula et. 1989 Oct;219(1-2):263-9.		2900			
intil ore	-	et al., "Role of FEM factors in nodates. 1998;1:325-335.	nethicilline resistance," Drug				
		The 2.9 Å crystal structure of <i>T. t</i> mplexed with tRNA ser," <i>Science</i> .	hermophilus seryl-tRNA 1994 Mar 11;263(5152):1404-10.				
	t e	Blundell et al., <i>Protein Crystallography</i> , Academic Press, New York, NY; title page, publication page, and table of contents only: 8 pages (1976).					
	· ·	Böhm, "The computer program LUDI: a new method for the de novo design of enzyme inhibitors," <i>J Comput Aided Mol Des.</i> 1992 Feb;6(1):61-78.					
		Brötz et al., "The lantibiotic mersacidin inhibits peptidoglycan biosynthesis at the level of transglycosylation," <i>Eur J Biochem</i> . 1997 May 15;246(1):193-9.					
	in peptidogly	Brown et al., "MurA (MurZ), the enzyme that catalyzes the first committed step in peptidoglycan biosynthesis, is essential in <i>Escherichia coli</i> ," <i>J Bacteriol</i> . 1995 Jul; 177(14):4194-7.					
	Brünger, "X-PLOR: Version 3.1, a System for X-Ray Crystallography and NMR,", Yale University Press, New Haven, CT; cover page, publication page and table of contents only: 13 pages (1992).						
	Brünger, "Recent developments for crystallographic refinement of macromolecules," <i>Methods Mol Biol.</i> 1996;56:245-66.						
	Bupp et al., "The final step of peptidoglycan subunit assembly in <i>Escherichia coli</i> occurs in the cytoplasm," <i>J Bacteriol</i> . 1993 Mar;175(6):1841-3.						
		transcriptional regulator bound	ne acetyltransferase domain of the to coenzyme A," EMBO J. 1999				
		emiology of drug resistance: imp 1992 Aug 21;257(5073):1050-5	olications for a post- antimicrobial				
Dr		Computational Project, No. 4, " llography" Acta Crystallogr D B					

EXAMINER	Date Considered				
Kenra J. Steadman	09-22-04				
*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in					

conformance and not considered. Include copy of this form with next communication to applicant.

Serial No.: 09/932,474

Applicant(s): T. E. Benson et al.

Confirmation No.: 6629

OMB No. 0651-0011
Page 3 of 8

Filing Date: August 17, 2001

Group: 1687 /652

Examiner Initial	TEN.	Document Description	/\no
		Cowtan et al., "Improvement of macromolecular electron-density maps by the	700
1215		simultaneous application of real and reciprocal space constraints," Acta Crystallogr D Biol Crystallogr. 1993 Jan 1;49(1):148-157.	
		Cowtan et al., "Miscellaneous algorithms for density modification," <i>Acta Crystallogr D Biol Crystallogr</i> . 1998 Jul 1;54(4):487-93.	
-		Cusack et al., "The crystal structure of the ternary complex of <i>T. thermophilus</i> seryl-tRNA synthetase with tRNA <sup>ser</sup> and a seryl-adenylate analogue reveals a conformational switch in the active site," <i>EMBO J.</i> 1996 Jun 3;15(11):2834-42	
		Dougherty et al., "The <i>Escherichia coli</i> mutant requiring D-glutamic acid is the result of mutations in two distinct genetic loci," <i>J Bacteriol</i> . 1993 Jan;175(1): 111-6.	į
		Duncan et al., "Purification and characterization of the D-alanyl-D-alanine-adding enzyme from <i>Escherichia coli</i> ," <i>Biochemistry</i> . 1990 Mar 6;29(9):2379-86.	
	· · · · ·	Dutnall et al., "Structure of the histone acetyltransferase Hat1: a paradigm for the GCN5-related N-acetyltransferase superfamily," <i>Cell.</i> 1998 Aug 21;94(4): 427-38.	ne
		Ehlert et al., "Specificities of FemA and FemB for different glycine residues: FemB cannot substitute for FemA in staphylococcal peptidoglycan pentaglycine side chain formation," <i>J Bacteriol</i> . 1997 Dec; 179(23):7573-6.	;
		Ehlert, "Methicillin-resistance in <i>Staphylococcus aureus</i> - molecular basis, nove targets and antibiotic therapy," <i>Curr Pharm Des.</i> 1999 Feb;5(2):45-55.	el
,		Eisen et al., "HOOK: a program for finding novel molecular architectures that satisfy the chemical and steric requirements of a macromolecule binding site," <i>Proteins: Struct Funct Genet.</i> 1994 Jul;19(3):199-221.	
		Epps et al., "The ligand affinity of proteins measured by isothermal denaturation kinetics," <i>Anal Biochem.</i> 2001 May 1;292(1):40-50.	1
		Evans, "SETOR: hardware-lighted three-dimensional solid model representation of macromolecules," <i>J Mol Graph</i> . 1993 Jun; <i>I1</i> (2):134-8.	ns
		Finzel, "LORE: exploiting database of known structures," <i>Meth Enzymol</i> . 1997; 277(B):230-42.	

EXAMINER	Date Considered
Davido Seaguean	09-22-04
*Evaminary Initial if site by	

## **INFORMATION DISCLOSURE** STATEMENT OVP &

Serial No.: 09/932,474 Atty. Docket No.: 00236.US1 Applicant(s): T. E. Benson et al.

Confirmation No.: 6629

Filing Date: August 17, 2001

Group: 1681/652

Examiner Initial	Document Description
DIS	Gillet et al., "SPROUT: a program for structure generation," <i>J Comput Aided Mol Des.</i> 1993 Apr;7(2):127-53.
	Goodford, "A computational procedure for determining energetically favorable binding sites on biologically important macromolecules," <i>J Med Chem.</i> 1985 Jul; 28(7):849-57.
	Goodsell et al., "Automated docking of substrates to proteins by simulated annealing," <i>Proteins: Struct Funct Genet</i> . 1990;8(3):195-202.
	Gubler et al., "Overexpression, purification, and characterization of UDP-N-acetylmuramyl:L-alanine ligase from Escherichia coli," J Bacteriol. 1996 Feb;178(3):906-10.
	Henze et al., "Influence of <i>femB</i> on methicillin resistance and peptidoglycan metabolism in <i>Staphylococcus aureus</i> ," <i>J Bacteriol</i> . 1993 Mar; 175(6):1612-20.
	Hürlimann-Dalel et al., "Survey of the methicillin resistance-associated genes mecA, mecR1-mecl, and femA-femB in clinical isolates of methicillin-resistant Staphylococcus aureus," Antimicrob Agents Chemother. 1992 Dec;36(12): 2617-21.
	Ikeda et al. "The <i>Escherichia coli mraY</i> gene encoding UDP- <i>N</i> -acetylmuramoylpentapeptide: undecaprenyl-phosphate phospho- <i>N</i> -acetylmuramoyl-pentapeptide transferase," <i>J Bacteriol</i> . 1991 Feb; <i>173</i> (3):1021-6.
	Jakubowski, "Aminoacylation of coenzyme A and pantetheine by aminoacyltRNA synthetases: possible link between noncoded and coded peptide synthesis," <i>Biochemistry</i> . 1998 Apr 14;37(15):5147-53.
	Jiang et al., "Protein hydration observed by X-ray diffraction. Solvation properties of penicillopepsin and neuraminidase crystal structures," <i>J Mol Biol</i> . 1994 Oct 14;243(1):100-15.
	Kamiryo et al., "Sequential addition of glycine from glycyl-tRNA to the lipid-linked precursors of cell wall peptidoglycan in <i>Staphylococcus aureus</i> ," <i>Biochem Biophys Res Commun.</i> 1969 Jul 23;36(2):215-22.
DU	Kamiryo et al., "The biosynthesis of the cross-linking peptides in the cell wall peptidoglycan of <i>Staphylococcus aureus</i> ," <i>J Biol Chem.</i> 1972 Oct 10;247(19): 6306-11.

EXAMINER	Date Considered
Sauces Sundman	09-22-04

UMB No. 0651-0011

## INFORMATION DISCLOSURE STATEMENT

Atty. Docket No.: 00236.US1 Serial No.: 09/932,47

Applicant(s): T. E. Benson et al. Confirmation No.: 6629

Filing Date: August 17, 2001 Group: 1651 /6.52 🖫

MAR 2 5 2002

	13	900
Examiner Initial	PADE	Document Description
DX		Kopp et al., "Staphylococcal peptidoglycan interpeptide bridge biosynthesis: a novel antistaphylococcal target?" <i>Microb Drug Resist.</i> 1996 Spring;2(1):29-41.
		Kraulis, "MOLSCRIPT: a program to produce both detailed and schematic plots of protein structures," <i>J Appl Cryst.</i> 1991 Oct;24:946-950.
		Kuntz et al., "A geometric approach to macromolecule-ligand interactions," J Mol Biol. 1982 Oct 25;161(2):269-88.
		Laskowski, et al., "PROCHECK: a program to check the stereochemical quality of protein structures," J Appl Cryst. 1993 Apr;26:283-291.
		Lattman, "Use of the rotation and translation functions," <i>Methods Enzymol</i> . 1985; <i>115</i> :55-77.
		Lauri et al., "CAVEAT: a program to facilitate the design of organic molecules," <i>J Comput Aided Mol Des.</i> 1994 Feb;8(1):51-66.
		Liger et al., "Over-production, purification and properties of the uridine-diphosphate-N-acetylmuramate:L-alanine ligase from Escherichia coli," Eur J Biochem. 1995 May 15;230(1):80-7.
		Ling et al., "Increased overall antibiotic susceptibility in <i>Staphylococcus aureus</i> femAB null mutants," <i>Antimicrob Agents Chemother</i> . 1998 Apr;42(4):936-8.
		Lu, "TOP: a new method for protein structure comparisons and similarity searches," <i>J Appl Cryst.</i> 2000 Feb;33(1):176-183.
		Maidhof et al., "femA, which encodes a factor essential for expression of methicillin resistance, affects glycine content of peptidoglycan in methicillin-resistant and methicillin-susceptible Staphylococcus aureus strains," J Bacteriol. 1991 Jun;173(11):3507-13.
		Marahiel et al., "Modular Peptide Synthetases Involved in Nonribosomal Peptide Synthesis," <i>Chem Rev.</i> 1997;97(7);2651-2673.
	•	Marquardt et al., "Cloning and sequencing of Escherichia coli murZ and purification of its product, a UDP-N-acetylglucosamine enolpyruvyl transferase," J Bacteriol. 1992 Sep;174(17):5748-52.
1215		Martin, "3D database searching in drug design," <i>J Med Chem.</i> 1992 Jun 12; 35(12):2145-54.

EXAMINER	Date Considered
Wourd Sean	Apren 09-22-04
***	

MAR 2 5 2002

Atty. Docket No.: 00236.US1

Serial No.: 09/932,474

Applicant(s): T. E. Benson et al.

Confirmation No.: 6629

OMB No. 0651-0011 Page 6 of 8

Filing Date: August 17, 2001

Group: 1651 /652

	(d)
Examiner Initial	Document Description
DIS	Maruyama et al., "Determination of gene products and coding regions from the murE-murF region of Escherichia coli," J Bacteriol. 1988 Aug;170(8):3786-8.
	Matsuhashi et al., "Biosynthesis of the peptidogylcan of bacterial cell walls," <i>J Biol Chem.</i> 1967 Jul 10;242(13):3191-3206.
	Meng et al., "Automated docking with grid-based energy evaluation," <i>J Comp Chem.</i> 1992 May; 13(4):505-524.
	Mengin-Lecreulx et al., "The <i>murG</i> gene of <i>Escherichia coli</i> codes for the UDP- <i>N</i> -acetylglucosamine: <i>N</i> -acetylmuramyl-(pentapeptide) pyrophosphoryl-undecaprenol <i>N</i> -acetylglucosamine transferase involved in the membrane steps of peptidoglycan synthesis," <i>J Bacteriol</i> . 1991 Aug; <i>173</i> (15): 4625-36.
	Michaud et al., "Over-production, purification and properties of the uridine-diphosphate-N-acetylmuramoyl-L-alanyl-D-glutamate: meso-2,6-diaminopimelate ligase from Escherichia coli," Eur J Biochem. 1990 Dec 27;194(3):853-61.
	Miranker et al., "Functionality maps of binding sites: a multiple copy simultaneous search method," <i>Proteins: Struct Funct Genet.</i> 1991;11(1):29-34.
	National Institutes of Health, "BLAST 2 Sequences," [online] United States; retrieved August 29, 2001 from the Internet:
	Neu, "The crisis in antibiotic resistance," <i>Science</i> . 1992 Aug 21;257(5073): 1064-73.
	Nishibata et al., "Automatic creation of drug candidate structures based on receptor structure. Starting point for artificial lead generation," <i>Tetrahedron</i> . 1991;47(43):8985-90.
DIS	Otwinowski, "Maximum likelihood refinement of Heavy atom parameters," Isomorphous replacement and anomalous scattering - Proceedings of the CCP4 Study Weekend 25-26 January 1991, (W. Wolf et al., eds.) Science and Engineering Research Counsel, Daresbury Laboratory, Warrington, U.K. 80-86 (1991).

EXAMINER Land Lean	Date Considered  OG-22-04
*Examiner: Initial if Ctation considered, whether or not citation is in	conformance with MPEP 609; Draw line through citation if not in

alle.	Mar	2	5 2002	JC13/
157				

				OMB No. 0651-001 Page 7 of 8		
INFORMATION DISCLOSURE STATEMENT		Atty. Docket	No.: 00236.US1	Serial No.: 09/932,474		
		Applicant(s)	T. E. Benson et al.	Confirmation No.: 6629	<b>1</b> ≥ 3	
STATE	STATEMENT		August 17, 2001	Group: 1651/652	AR 2	
MAR 2 5 200	ردای ک			- 1000/23/00	MAR 2 6 2002	
Example Initial		,	Document Description	٤		
1),15				main of histone H5 and its Mar 18;362(6417):219-23.		
	Antibiotic inheds.; America	ibition of bacted n Society of Mi ld at the Colleg	rial cell surface assembl	nicillin-binding proteins," y and function, Actor et al., , DC (Based on an ASM delphia on May 17-20,		
	Rohrer et al., "The essential Staphylococcus aureus gene fmhB is involved in the first step of peptidoglycan pentaglycine interpeptide formation," Proc Natl Acad Sci U S A. 1999 Aug 3;96(16):9351-6.					
	Rojas et al., "Structure of <i>Tetrahymena</i> GCN5 bound to coenzyme A and a histone H3 peptide," <i>Nature</i> . 1999 Sep 2;401(6748):93-8.					
	Rossman, ed., The Molecular Replacement Method - A Collection of Papers on the Use of Non-Crystallographic Symmetry, Intl. Sci. Rev. Ser. No. 13, Gordon & Breach, New York, NY; title page, publication page, and table of contents only: 6 pages (1972).					
	Sack, "CHAIN - A Crystallographic Modeling Program," <i>J Molecular Graphics</i> . 1988 Dec; 6(4):224-5.					
	Sheldrick et al., "Structure solution by iterative peaklist optimization and tangent expansion in space group P1," Acta Crystallogr B. 1995 Aug 1;51(Pt 4):423-31.					
	Strandén et al., "Cell wall monoglycine cross-bridges and methicillin hypersusceptibility in a femAB null mutant of methicillin-resistant Staphylococcus aureus," J Bacteriol. 1997 Jan;179(1):9-16.					
			equences, a new tool for S Microbiol Lett. 1999 N			
			cted structure determina Protein Sci. 1998 Sep;7(9			
1715	from transfer	RNA into the m	For demonstrating the steamer of Staphure of Staphur. 1969 Jun 6;35(5):642	-		

EXAMINER <sub>2</sub>	Date Considered
Maris of Steadness	09-22-04
AND COMMENT AND ADDRESS OF THE ADDRE	the Market Cook of the state of

Serial No.: 09/932,474

Applicant(s): T. E. Benson et al.

Confirmation No.: 6629

OMB No. 0651-0011 Page 8 of 8

Filing Date: August 17, 2001

Group: 1651/652

Examiner Initial	Document Description 23
DYS	Travis, "Proteins and organic solvents make an eye-opening mix," <i>Science</i> . 1993 Nov 26;262(5138):1374.
	Trievel et al., "Crystal structure and mechanism of histone acetylation of the yeast GCN5 transcriptional coactivator," <i>Proc Natl Acad Sci U S A</i> . 1999 Aug 3;96(16):8931-6.
	Tschierske et al., "Identification of three additional femAB-like open reading frames in Staphylococcus aureus," FEMS Microbiol Lett. 1999 Feb 15;171(2): 97-102.
	Wada et al., "Penicillin-binding protein 1 of <i>Staphylococcus aureus</i> is essential for growth," <i>J Bacteriol</i> . 1998 May; 180(10):2759-65.
	Wolf et al., "Crystal structure of a GCN5-related N-acetyltransferase: Serratia marcescens aminoglycoside 3-N-acetyltransferase," Cell. 1998 Aug 21; 94(4):439-49.
	Wybenga-Groot et al., "Crystal structure of an aminoglycoside 6'-N-acetyltransferase: defining the GCN5-related N-acetyltransferase superfamily fold," Structure Fold Des. 1999 May;7(5):497-507.
	Wyckoff et al., eds., Methods in Enzymology Vol. 114 - Diffraction Methods for Biological Macromolecules, Academic Press, Orlando, FL; title page, publication page, and table of contents only: 5 pages (1985).
	Wyckoff et al., eds., Methods in Enzymology Vol. 115 - Diffraction Methods for Biological Macromolecules, Academic Press, Orlando, FL; title page, publication page, and table of contents only: 4 pages (1985).
DIS	Wyke et al., "A role in vivo for penicillin-binding protein-4 of Staphylococcus aureus," Eur J Biochem. 1981 Oct; 119(2):389-93.

EXAMINER

Naved J Steendman

09-22-04